

MSDS04-1

MATERIAL SAFETY DATA SHEET**PRODUCT IDENTITY: DFV GLOSS EL11 VARNISH****SECTION 1 - Preparation/Product Information****Manufactured and Supplied By:** Adicolor Inc
1 Applewood Cres, Unit 2
Concord, Ontario
L4K 3V5 905-660-6688**Emergency Telephone No:** (613) 996-6666
CANUTEC

Date Prepared: June 26, 2003

Adicolor Inc
1 Applewood Cres, Unit 2
Concord, Ontario
L4K 3V5 905-660-6688

Product Use: coating

T.D.G. Classification:

UN Number: not applicable

WHMIS: Health: 1(not hazardous)

Flammability: 0(not flammable)

Reactivity: 0

Other: 0

Section 2 - Hazardous Ingredients

HAZARDOUS COMPONENTS: CHEMICAL IDENTITY	EXPOSURE LIMITS: TLV	TOXICITY: LD50/LC40	AMOUNT: %
Acrylic Copolymer NOT HAZARDOUS	N/A	N/A	20
Triethylamine CAS# 111-76-2	14 ppm skin	730mg/kg (Oral-Rat)	< .1
Propylene glycol CAS #57-55-6	Not Established	20 G/KG (ORAL-RAT) 20G/KG (Dermal Rat)	2
Magnesium Silicate(CAS#53320-86-8) Trimethyl Pentanedioic mono isobutyrate (CAS# 25265-77-4)	N/A N/A	N/A LD50/>3.2G/KG(ORL-RAT)	0.5 1.0

SECTION 3 - Physical/Chemical Characteristics

Initial Boiling Point: 100 C-187C	Specific Gravity: 1.03 +/- .02
Vapor Pressure (mm.hg): 17 mm/hg/23C	Vapor Density (air=1): <1 water
Freezing Point: N/Av.	PH: 8.00-9.00
Evaporation Rate: <1 water	Solubility in Water: dilutable
VOC gr/liter: <35	% Solids: 20
Appearance: clear, milky liquid	Odor: Slightly ammoniacal

WATER BASED VARNISH GLOSS

MSDS#04-2

SECTION 4 - Fire and Explosion Hazard Data

Flash Point (deg C) and Method; 101 C (Opened Cup)0

Flammable Limits/% Volume in Air: LFL:2.35% UFL:13.7%

Autoignition Temperature (deg C): 423 C

Extinguishing Media: Carbon Dioxide, Water Fog, Dry Chemical, and alcohol type or all purpose Foam.

Special Fire Fighting Procedures: Wear Self-contained Breathing Apparatus and approved protective clothing.

Ignitable: YES No:X

Unusual Fire and Explosion Hazards:None.

SECTION 5 - Reactivity Data

Stable: x

Hazardous Polymerization: Will not occur

Incompatibility (Materials to Avoid): Oxidizing Agents

Conditions of Reactivity/Instability: Excessive heat, sparks, and open flames in the presence of oxidizing Material

Hazardous Decomposition or Byproducts: Oxides of carbon (co, co2),

SECTION 6 - Health Hazard Data

Primary Routes of Exposure

Inhalation: Nose and throat slightly irritant

Skin Contact: Very slightly irritant

Skin Absorption: Repeated contact may cause dermatitis in sensitive individuals

Ingestion: May cause headache, nausea, and vomiting and possible blood toxic

Eye Contact: Irritant

Health Hazards:

Acute: May cause eye and skin irritation, and sensitization

Chronic: None Known

WATER BASED VARNISH GLOSS

SECTION 7 - First Aid MeasuresMSDS 04-3

EMERGENCY AND FIRST AID PROCEDURES:

Inhalation: Move to fresh air. Give oxygen if breathing is difficult

Ingestion: Do not induce vomiting. Obtain medical attention immediately

Eyes: Flush eyes with water for at least 15 minutes

Skin: Wash with mild soap and water

SECTION 8 - Control Measures

Respiratory Protection: Use NIOSH approved respirator for organic vapors.

Ventilation: Local and mechanical exhaust is recommended to minimize exposure

Protective Gloves: Impervious gloves should be worn when handling this material

Eye Protection: Splash proof chemical goggles

Other Protective Clothing/Material/Equipment: Barrier Cream

Work/Hygienic Practices: Wash thoroughly after handling

SECTION 9 - Precautions for Safe Handling and Use

Waste Disposal Method: In accordance with all Federal, Provincial, State, and Local regulations

Handling and Storage: Store in a cool, dry, well-ventilated area, away from heat and ignition sources

Spill and Leak Procedure: Avoid all personal contact. Take up with absorbent material. Flush area with water

Other Precautions: Avoid contact with eyes, skin, or clothing. Avoid breathing vapor, mist, or spray.

THE INFORMATION CONTAINED IN THIS FORM IS BASED ON DATA FROM SOURCES CONSIDERED TO BE RELIABLE BUT Adicolor Inc DOES NOT GUARANTEE THE ACCURACY OR COMPLETENESS THEREOF. THE INFORMATION IS PROVIDED AS A SERVICE TO PERSONS PURCHASING OR USING THE MATERIAL TO WHICH IT REFERS AND Adicolor inc EXPRESSLY DISCLAIMS ALL LIABILITY FOR LOSS OR DAMAGE, INCLUDING CONSEQUENTIAL LOSS, OR FOR INJURY TO PERSONS (INCLUDING DEATH) ARISING DIRECTLY OR INDIRECTLY FROM RELIANCE UPON THE INFORMATION OR USE OF THE MATERIAL.